
CZMEDITECH

TÜVRheinland®

CE

ISO:13485



2023

NON-LOCKING PLATE

PRODUCT CATALOG

www.czmeditech.com

CZMEDITECH

Changzhou Meditech Technology Co., Ltd.

Address: 9th. Floor, Inno Laser Building, Science & Education Town, Wujin District, Changzhou City, Jiangsu Province, China. PC: 213164

Website: www.czmeditech.com

Tel/Fax: +86-519-85855955

Finger Plate

Straight Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-7301	T4100-7301	2 holes
S4100-7302	T4100-7302	3 holes
S4100-7303	T4100-7303	4 holes
S4100-7304	T4100-7304	5 holes
S4100-7305	T4100-7305	6 holes

Use 2.0mm Cortical Screw

T-shaped Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-7401	T4100-7401	4 holes
S4100-7402	T4100-7402	5 holes
S4100-7403	T4100-7403	6 holes

Use 2.0mm Cortical Screw

L-shaped Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-7501	T4100-7501	4 holes L
S4100-7502	T4100-7502	5 holes L
S4100-7503	T4100-7503	6 holes L
S4100-7504	T4100-7504	4 holes R
S4100-7505	T4100-7505	5 holes R
S4100-7506	T4100-7506	6 holes R

Use 2.0mm Cortical Screw

Curved L-shaped Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-7601	T4100-7601	4 holes L
S4100-7602	T4100-7602	5 holes L
S4100-7605	T4100-7605	6 holes L
S4100-7603	T4100-7604	4 holes R
S4100-7604	T4100-7605	5 holes R
S4100-7606	T4100-7606	6 holes R

Use 2.0mm Cortical Screw

Palm & Foot Plate

Straight Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-7701	T4100-7701	2 holes
S4100-7702	T4100-7702	3 holes
S4100-7703	T4100-7703	4 holes
S4100-7704	T4100-7704	5 holes
S4100-7705	T4100-7705	6 holes

Use 2.0mm Cortical Screw

T-shaped Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-7801	T4100-7801	4 holes
S4100-7802	T4100-7802	5 holes
S4100-7803	T4100-7803	6 holes

Use 2.0mm Cortical Screw

L-shaped Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-7901	T4100-7901	4 holes L
S4100-7902	T4100-7902	5 holes L
S4100-7903	T4100-7903	6 holes L
S4100-7904	T4100-7904	4 holes R
S4100-7905	T4100-7905	5 holes R
S4100-7906	T4100-7906	6 holes R

Use 2.0mm Cortical Screw

Curved L-shaped Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-8001	T4100-8001	4 holes L
S4100-8002	T4100-8002	5 holes L
S4100-8005	T4100-8005	6 holes L
S4100-8003	T4100-8003	4 holes R
S4100-8004	T4100-8004	5 holes R
S4100-8006	T4100-8006	6 holes R

Use 2.0mm Cortical Screw

Middle S-clavicle Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-0101	T4100-0101	8 holes L
S4100-0102	T4100-0102	8 holes R

Use 3.5mm Cortical Screw, 4.0mm Cancellous Screw

Distal S-clavicle Plate-I



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-0201	T4100-0201	4 holes L
S4100-0202	T4100-0202	6 holes L
S4100-0203	T4100-0203	8 holes L
S4100-0204	T4100-0204	10 holes L
S4100-0205	T4100-0205	4 holes R
S4100-0206	T4100-0206	6 holes R
S4100-0207	T4100-0207	8 holes R
S4100-0208	T4100-0208	10 holes R

Use 3.5mm Cortical Screw, 4.0mm Cancellous Screw

Distal S-clavicle Plate-II



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-0301	T4100-0301	7 holes L
S4100-0302	T4100-0302	8 holes L
S4100-0303	T4100-0303	9 holes L
S4100-0304	T4100-0304	10 holes L
S4100-0305	T4100-0305	7 holes R
S4100-0306	T4100-0306	8 holes R
S4100-0307	T4100-0307	9 holes R
S4100-0308	T4100-0308	10 holes R

Use 3.5mm Cortical Screw, 4.0mm Cancellous Screw

Clavicle Claw Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-0401	T4100-0401	4 holes L
S4100-0402	T4100-0402	5 holes L
S4100-0403	T4100-0403	6 holes L
S4100-0404	T4100-0404	4 holes R
S4100-0405	T4100-0405	5 holes R
S4100-0406	T4100-0406	6 holes R

Use 3.5mm Cortical Screw, 4.0mm Cancellous Screw

LC-DCP Unla & Radius Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-0601	T4100-0601	5 holes
S4100-0602	T4100-0602	6 holes
S4100-0603	T4100-0603	7 holes
S4100-0604	T4100-0604	8 holes
S4100-0605	T4100-0605	9 holes
S4100-0606	T4100-0606	10 holes

Use 3.5mm Cortical Screw

DCP Unla & Radius Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-0607	T4100-0607	5 holes
S4100-0608	T4100-0608	6 holes
S4100-0609	T4100-0609	7 holes
S4100-0610	T4100-0610	8 holes
S4100-0611	T4100-0611	9 holes
S4100-0612	T4100-0612	10 holes
Use 3.5mm Cortical Screw		

1/3 Tubular Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-0701	T4100-0701	4 holes
S4100-0702	T4100-0702	5 holes
S4100-0703	T4100-0703	6 holes
S4100-0704	T4100-0704	7 holes
S4100-0705	T4100-0705	8 holes
Use 3.5mm Cortical Screw		

DCP Humeral Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-0801	T4100-0801	4 holes
S4100-0802	T4100-0802	5 holes
S4100-0803	T4100-0803	6 holes
S4100-0804	T4100-0804	7 holes
S4100-0805	T4100-0805	8 holes
S4100-0806	T4100-0806	9 holes
S4100-0807	T4100-0807	10 holes
Use 3.5mm Cortical Screw		

LC-DCP Humeral Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-0901	T4100-0901	4 holes
S4100-0902	T4100-0902	5 holes
S4100-0903	T4100-0903	6 holes
S4100-0904	T4100-0904	7 holes
S4100-0905	T4100-0905	8 holes
S4100-0906	T4100-0906	9 holes
S4100-0907	T4100-0907	10 holes
Use 3.5mm Cortical Screw		

LC-DCP Humerus Plate-II



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-1001	T4100-1001	5 holes
S4100-1002	T4100-1002	6 holes
S4100-1003	T4100-1003	7 holes
S4100-1004	T4100-1004	8 holes
S4100-1005	T4100-1005	9 holes
S4100-1006	T4100-1006	10 holes
Use 4.5mm Cortical Screw		

Small T-type Curved Flate Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-1107	T4100-1107	3 holes
S4100-1108	T4100-1108	4 holes
S4100-1109	T4100-1109	5 holes
Use 3.5mm Cortical Screw, 4.0mm Cancellous Screw		

Distal Radius Medial Plate (Metacarpus Medial Type)



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-1201	T4100-1201	3 holes
S4100-1202	T4100-1202	4 holes
S4100-1203	T4100-1203	5 holes
S4100-1204	T4100-1204	6 holes
Use 3.5mm Cortical Screw, 4.0mm Cancellous Screw		

Distal Radius Medial Plate

REF (Stainless Steel)	REF (Titanium)	Specification
S4100-1301	T4100-1301	3 holes L
S4100-1302	T4100-1302	4 holes L
S4100-1303	T4100-1303	5 holes L
S4100-1304	T4100-1304	6 holes L
S4100-1305	T4100-1305	3 holes R
S4100-1306	T4100-1306	4 holes R
S4100-1307	T4100-1307	5 holes R
S4100-1308	T4100-1308	6 holes R
Use 3.5mm Cortical Screw, 4.0mm Cancellous Screw		

Distal Radius Back Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-1401	T4100-1401	L
S4100-1402	T4100-1402	R
Use 2.5mm Cortical Screw		

Distal Radius/Fibula Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-1501	T4100-1501	3 holes
S4100-1502	T4100-1502	4 holes
S4100-1503	T4100-1503	5 holes
S4100-1504	T4100-1504	6 holes
Use 3.5mm Cortical Screw, 3.5mm Cancellous Screw		

Small T-type Curved Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-1601	T4100-1601	3 holes
S4100-1602	T4100-1602	4 holes
S4100-1603	T4100-1603	5 holes
Use 3.5mm Cortical Screw		

Distal Radius Lateral Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-1604	T4100-1604	3 holes
S4100-1605	T4100-1605	4 holes
S4100-1606	T4100-1606	5 holes
S4100-1607	T4100-1607	6 holes
Use 3.5mm Cortical Screw		

Olecranon Plate-I



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-1701	T4100-1701	3 holes L
S4100-1702	T4100-1702	4 holes L
S4100-1703	T4100-1703	3 holes R
S4100-1704	T4100-1704	4 holes R
Use 3.5mm Cortical Screw, 4.0mm Cancellous Screw		

Olecranon Reconstruction Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-1801	T4100-1801	3 holes L
S4100-1802	T4100-1802	4 holes L
S4100-1803	T4100-1803	5 holes L
S4100-1804	T4100-1804	6 holes L
S4100-1805	T4100-1805	3 holes R
S4100-1806	T4100-1806	4 holes R
S4100-1807	T4100-1807	5 holes R
S4100-1808	T4100-1808	6 holes R
Use 3.5mm Cortical Screw, 4.0mm Cancellous Screw		

Olecranon Plate-III



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-1901	T4100-1901	3 holes
S4100-1902	T4100-1902	4 holes
S4100-1903	T4100-1903	5 holes
S4100-1904	T4100-1904	6 holes
Use 3.5mm Cortical Screw, 4.0mm Cancellous Screw		

Humerus Condylus Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-2001	T4100-2001	3 holes
S4100-2002	T4100-2002	4 holes
S4100-2003	T4100-2003	5 holes
S4100-2004	T4100-2004	6 holes
S4100-2005	T4100-2005	7 holes
S4100-2006	T4100-2006	8 holes
S4100-2007	T4100-2007	9 holes
Use 3.5mm Cortical Screw, 4.0mm Cancellous Screw		

Proximal Humerus Condylus Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-2101	T4100-2101	3 holes
S4100-2102	T4100-2102	4 holes
S4100-2103	T4100-2103	5 holes
S4100-2104	T4100-2104	6 holes
S4100-2105	T4100-2105	7 holes
S4100-2106	T4100-2106	8 holes
Use 3.5mm Cortical Screw, 4.0mm Cancellous Screw		

Humerus Neck Fracture Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-2201	T4100-2201	3 holes L
S4100-2202	T4100-2202	4 holes L
S4100-2203	T4100-2203	5 holes L
S4100-2204	T4100-2204	6 holes L
S4100-2205	T4100-2205	7 holes L
S4100-2206	T4100-2206	8 holes L
S4100-2207	T4100-2207	3 holes R
S4100-2208	T4100-2208	4 holes R
S4100-2209	T4100-2209	5 holes R
S4100-2210	T4100-2210	6 holes R
S4100-2211	T4100-2211	7 holes R
S4100-2212	T4100-2212	8 holes R
Use 3.5mm Cortical Screw, 4.0mm Cancellous Screw		

Three-Flanged Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-2301	T4100-2301	3 holes
S4100-2302	T4100-2302	4 holes
S4100-2303	T4100-2303	5 holes
S4100-2304	T4100-2304	6 holes
S4100-2305	T4100-2305	7 holes
S4100-2306	T4100-2306	8 holes
Use 4.0mm Cortical Screw, 4.0mm Cancellous Screw		

Rib Plate



REF(Titanium)	Specification
T4100-2401	11*30mm
T4100-2402	11*45mm
T4100-2403	11*55mm
T4100-2404	15*30mm
T4100-2405	15*45mm
T4100-2406	15*55mm

REF(Titanium)	Specification
T4100-2407	17*30mm
T4100-2408	17*45mm
T4100-2409	17*55mm
T4100-2410	19*30mm
T4100-2411	19*45mm
T4100-2412	19*55mm

Y-olecranon Fossa Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-2501	T4100-2501	3 holes L
S4100-2502	T4100-2502	4 holes L
S4100-2503	T4100-2503	5 holes L
S4100-2504	T4100-2504	6 holes L
S4100-2505	T4100-2505	7 holes L
S4100-2506	T4100-2506	8 holes L
S4100-2507	T4100-2507	3 holes R
S4100-2508	T4100-2508	4 holes R
S4100-2509	T4100-2509	5 holes R
S4100-2510	T4100-2510	6 holes R
S4100-2511	T4100-2511	7 holes R
S4100-2512	T4100-2512	8 holes R

Use 3.5mm Cortical Screw, 4.0mm Cancellous Screw

Y-shaped Humerus Condylus Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-2601	T4100-2601	3 holes L
S4100-2602	T4100-2602	4 holes L
S4100-2603	T4100-2603	5 holes L
S4100-2604	T4100-2604	6 holes L
S4100-2605	T4100-2605	3 holes R
S4100-2606	T4100-2606	4 holes R
S4100-2607	T4100-2607	5 holes R
S4100-2608	T4100-2608	6 holes R

Use 3.5mm Cortical Screw, 4.0mm Cancellous Screw

Distal Humeral ST Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-2701	T4100-2701	3 holes L
S4100-2702	T4100-2702	4 holes L
S4100-2703	T4100-2703	5 holes L
S4100-2704	T4100-2704	6 holes L
S4100-2705	T4100-2705	3 holes R
S4100-2706	T4100-2706	4 holes R
S4100-2707	T4100-2707	5 holes R
S4100-2708	T4100-2708	6 holes R

Use 3.5mm Cortical Screw, 4.0mm Cancellous Screw

Distal Humeral Lateral Plate (Olecranon Type)



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-2801	T4100-2801	12 holes L
S4100-2802	T4100-2802	14 holes L
S4100-2803	T4100-2803	16 holes L
S4100-2804	T4100-2804	18 holes L
S4100-2805	T4100-2805	12 holes R
S4100-2806	T4100-2806	14 holes R
S4100-2807	T4100-2807	16 holes R
S4100-2808	T4100-2808	18 holes R

Use 3.5mm Cortical Screw, 4.0mm Cancellous Screw

LC-DCP Tibial Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-3001	T4100-3001	4 holes
S4100-3002	T4100-3002	5 holes
S4100-3003	T4100-3003	6 holes
S4100-3004	T4100-3004	7 holes
S4100-3005	T4100-3005	8 holes
S4100-3006	T4100-3006	9 holes
S4100-3007	T4100-3007	10 holes
S4100-3008	T4100-3008	11 holes
S4100-3009	T4100-3009	12 holes

Use 4.5mm Cortical Screw

DCP Tibial Plate Narrow



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-3101	T4100-3101	4 holes
S4100-3102	T4100-3102	5 holes
S4100-3103	T4100-3103	6 holes
S4100-3104	T4100-3104	7 holes
S4100-3105	T4100-3105	8 holes
S4100-3106	T4100-3106	9 holes
S4100-3107	T4100-3107	10 holes

Use 4.5mm Cortical Screw

LC-DCP Tibial Plate Narrow



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-3201	T4100-3201	4 holes
S4100-3202	T4100-3202	5 holes
S4100-3203	T4100-3203	6 holes
S4100-3204	T4100-3204	7 holes
S4100-3205	T4100-3205	8 holes
S4100-3206	T4100-3206	9 holes
S4100-3207	T4100-3207	10 holes

Use 4.5mm Cortical Screw

T-shaped Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-3301	T4100-3301	4 holes
S4100-3302	T4100-3302	5 holes
S4100-3303	T4100-3303	6 holes
S4100-3304	T4100-3304	7 holes
S4100-3305	T4100-3305	8 holes

Use 4.5mm Cortical Screw, 6.5mm Cancellous Screw

Reconstruction T-shaped Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-3401	T4100-3401	4 holes
S4100-3402	T4100-3402	5 holes
S4100-3403	T4100-3403	6 holes
S4100-3404	T4100-3404	7 holes
S4100-3405	T4100-3405	8 holes

Use 4.5mm Cortical Screw, 6.5mm Cancellous Screw

Distal Fibula Plate-II



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-3601	T4100-3601	3 holes L
S4100-3602	T4100-3602	4 holes L
S4100-3603	T4100-3603	5 holes L
S4100-3604	T4100-3604	6 holes L
S4100-3605	T4100-3605	7 holes L
S4100-3606	T4100-3606	8 holes L
S4100-3607	T4100-3607	3 holes R
S4100-3608	T4100-3608	4 holes R
S4100-3609	T4100-3609	5 holes R
S4100-3610	T4100-3610	6 holes R
S4100-3611	T4100-3611	7 holes R
S4100-3612	T4100-3612	8 holes R

Use 3.5mm Cortical Screw

Distal Fibula Plate-III



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-3701	T4100-3701	3 holes L
S4100-3702	T4100-3702	4 holes L
S4100-3703	T4100-3703	5 holes L
S4100-3704	T4100-3704	6 holes L
S4100-3705	T4100-3705	7 holes L
S4100-3706	T4100-3706	8 holes L
S4100-3707	T4100-3707	3 holes R
S4100-3708	T4100-3708	4 holes R
S4100-3709	T4100-3709	5 holes R
S4100-3710	T4100-3710	6 holes R
S4100-3711	T4100-3711	7 holes R
S4100-3712	T4100-3712	8 holes R

Use 3.5mm Cortical Screw, 4.0mm Cancellous Screw

Distal Fibular Back Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-3801	T4100-3801	3 holes L
S4100-3802	T4100-3802	4 holes L
S4100-3803	T4100-3803	5 holes L
S4100-3804	T4100-3804	6 holes L
S4100-3805	T4100-3805	7 holes L
S4100-3806	T4100-3806	8 holes L
S4100-3807	T4100-3807	3 holes R
S4100-3808	T4100-3808	4 holes R
S4100-3809	T4100-3809	5 holes R
S4100-3810	T4100-3810	6 holes R
S4100-3811	T4100-3811	7 holes R
S4100-3812	T4100-3812	8 holes R

Use 3.5mm Cortical Screw, 4.0mm Cancellous Screw

L-shaped Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-3901	T4100-3901	4 holes L
S4100-3902	T4100-3902	5 holes L
S4100-3903	T4100-3903	6 holes L
S4100-3904	T4100-3904	7 holes L
S4100-3905	T4100-3905	8 holes L
S4100-3906	T4100-3906	4 holes R
S4100-3907	T4100-3907	5 holes R
S4100-3908	T4100-3908	6 holes R
S4100-3909	T4100-3909	7 holes R
S4100-3910	T4100-3910	8 holes R

Use 4.5mm Cortical Screw, 6.5mm Cancellous Screw

Reconstruction L-shaped Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-4001	T4100-4001	4 holes L
S4100-4002	T4100-4002	5 holes L
S4100-4003	T4100-4003	6 holes L
S4100-4004	T4100-4004	7 holes L
S4100-4005	T4100-4005	8 holes L
S4100-4006	T4100-4006	4 holes R
S4100-4007	T4100-4007	5 holes R
S4100-4008	T4100-4008	6 holes R
S4100-4009	T4100-4009	7 holes R
S4100-4010	T4100-4010	8 holes R

Use 4.5mm Cortical Screw, 6.5mm Cancellous Screw

Tibial Platform Lateral Plate-II



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-4201	T4100-4201	5 holes L
S4100-4202	T4100-4202	6 holes L
S4100-4203	T4100-4203	7 holes L
S4100-4204	T4100-4204	8 holes L
S4100-4205	T4100-4205	9 holes L
S4100-4206	T4100-4206	10 holes L
S4100-4207	T4100-4207	11 holes L
S4100-4208	T4100-4208	5 holes R
S4100-4209	T4100-4209	6 holes R
S4100-4210	T4100-4210	7 holes R
S4100-4211	T4100-4211	8 holes R
S4100-4212	T4100-4212	9 holes R
S4100-4213	T4100-4213	10 holes R
S4100-4214	T4100-4214	11 holes R

Use 4.5mm Cortical Screw, 6.5mm Cancellous Screw

Tibial Platform Lateral Plate-III



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-4301	T4100-4301	5 holes L
S4100-4302	T4100-4302	7 holes L
S4100-4303	T4100-4303	9 holes L
S4100-4304	T4100-4304	11 holes L
S4100-4305	T4100-4305	5 holes R
S4100-4306	T4100-4306	7 holes R
S4100-4307	T4100-4307	9 holes R
S4100-4308	T4100-4308	11 holes R

Use 4.5mm Cortical Screw, 6.5mm Cancellous Screw

Proximal Tibial Medial Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-4401	T4100-4401	4 holes L
S4100-4402	T4100-4402	5 holes L
S4100-4403	T4100-4403	6 holes L
S4100-4404	T4100-4404	7 holes L
S4100-4405	T4100-4405	8 holes L
S4100-4406	T4100-4406	9 holes L
S4100-4407	T4100-4407	10 holes L
S4100-4409	T4100-4409	4 holes R
S4100-4410	T4100-4410	5 holes R
S4100-4411	T4100-4411	6 holes R
S4100-4412	T4100-4412	7 holes R
S4100-4413	T4100-4413	8 holes R
S4100-4414	T4100-4414	9 holes R
S4100-4415	T4100-4415	10 holes R

Use 4.5mm Cortical Screw, 6.5mm Cancellous Screw

Proximal Tibial Lateral Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-4501	T4100-4501	4 holes L
S4100-4502	T4100-4502	5 holes L
S4100-4503	T4100-4503	6 holes L
S4100-4504	T4100-4504	7 holes L
S4100-4505	T4100-4505	8 holes L
S4100-4506	T4100-4506	9 holes L
S4100-4507	T4100-4507	10 holes L
S4100-4509	T4100-4509	4 holes R
S4100-4510	T4100-4510	5 holes R
S4100-4511	T4100-4511	6 holes R
S4100-4512	T4100-4512	7 holes R
S4100-4513	T4100-4513	8 holes R
S4100-4514	T4100-4514	9 holes R
S4100-4515	T4100-4515	10 holes R

Use 4.5mm Cortical Screw, 6.5mm Cancellous Screw

Distal Tibial Medial Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-8201	T4100-8201	5 holes
S4100-8202	T4100-8202	6 holes
S4100-8203	T4100-8203	7 holes
S4100-8204	T4100-8204	8 holes
S4100-8205	T4100-8205	9 holes
S4100-8206	T4100-8206	10 holes
S4100-8207	T4100-8207	11 holes

Use 4.5mm Cortical Screw, 6.5mm Cancellous Screw

Distal Tibial Lateral Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-4701	T4100-4701	5 holes L
S4100-4702	T4100-4702	6 holes L
S4100-4703	T4100-4703	7 holes L
S4100-4704	T4100-4704	8 holes L
S4100-4705	T4100-4705	9 holes L
S4100-4706	T4100-4706	10 holes L
S4100-4708	T4100-4708	5 holes R
S4100-4709	T4100-4709	6 holes R
S4100-4710	T4100-4710	7 holes R
S4100-4711	T4100-4711	8 holes R
S4100-4712	T4100-4712	9 holes R
S4100-4713	T4100-4713	10 holes R

Use 4.5mm Cortical Screw, 6.5mm Cancellous Screw

Patella Claw



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-4901	T4100-4901	S
S4100-4902	T4100-4902	M
S4100-4903	T4100-4903	L

LC-DCP Femoral Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-5001	T4100-5001	5 holes
S4100-5002	T4100-5002	6 holes
S4100-5003	T4100-5003	7 holes
S4100-5004	T4100-5004	8 holes
S4100-5005	T4100-5005	9 holes
S4100-5006	T4100-5006	10 holes
S4100-5007	T4100-5007	12 holes
S4100-5008	T4100-5008	14 holes

Use 4.5mm Cortical Screw

DCP Femoral Plate Broad



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-5101	T4100-5101	5 holes
S4100-5102	T4100-5102	6 holes
S4100-5103	T4100-5103	7 holes
S4100-5104	T4100-5104	8 holes
S4100-5105	T4100-5105	9 holes
S4100-5106	T4100-5106	10 holes
S4100-5107	T4100-5107	12 holes

Use 4.5mm Cortical Screw

LC-DCP Femoral Plate Broad



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-5201	T4100-5201	5 holes
S4100-5202	T4100-5202	6 holes
S4100-5203	T4100-5203	7 holes
S4100-5204	T4100-5204	8 holes
S4100-5205	T4100-5205	9 holes
S4100-5206	T4100-5206	10 holes
S4100-5207	T4100-5207	12 holes

Use 4.5mm Cortical Screw

Proximal Femur Condylus Plate-I



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-5301	T4100-5301	5 holes
S4100-5302	T4100-5302	6 holes
S4100-5303	T4100-5303	7 holes
S4100-5304	T4100-5304	8 holes
S4100-5305	T4100-5305	9 holes
S4100-5306	T4100-5306	10 holes

Use 4.5mm Cortical Screw, 6.5mm Cancellous Screw

Distal Femoral Medial Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-5501	T4100-5501	5 holes L
S4100-5502	T4100-5502	7 holes L
S4100-5503	T4100-5503	9 holes L
S4100-5504	T4100-5504	11 holes L
S4100-5505	T4100-5505	5 holes R
S4100-5506	T4100-5506	7 holes R
S4100-5507	T4100-5507	9 holes R
S4100-5508	T4100-5508	11 holes R

Use 4.5mm Cortical Screw, 6.5mm Cancellous Screw

Femoral Condylus Buttress Plate-II



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-5701	T4100-5701	5 holes L
S4100-5702	T4100-5702	6 holes L
S4100-5703	T4100-5703	7 holes L
S4100-5704	T4100-5704	8 holes L
S4100-5705	T4100-5705	9 holes L
S4100-5706	T4100-5706	10 holes L
S4100-5707	T4100-5707	11 holes L
S4100-5708	T4100-5708	5 holes R
S4100-5709	T4100-5709	6 holes R
S4100-5710	T4100-5710	7 holes R
S4100-5711	T4100-5711	8 holes R
S4100-5712	T4100-5712	9 holes R
S4100-5713	T4100-5713	10 holes R
S4100-5714	T4100-5714	11 holes R

Use 4.5mm Cortical Screw, 6.5mm Cancellous Screw

95° DCS Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-6211	T4100-6211	5 holes
S4100-6212	T4100-6212	6 holes
S4100-6213	T4100-6213	7 holes
S4100-6214	T4100-6214	8 holes
S4100-6215	T4100-6215	9 holes
S4100-6216	T4100-6216	10 holes

Use Lag Screw, 4.5mm Cortical Screw

135° DHS Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-6201	T4100-6201	3 holes
S4100-6202	T4100-6202	4 holes
S4100-6203	T4100-6203	5 holes
S4100-6204	T4100-6204	6 holes
S4100-6205	T4100-6205	7 holes
S4100-6206	T4100-6206	8 holes
S4100-6207	T4100-6207	9 holes
S4100-6208	T4100-6208	10 holes

Use Lag Screw, 4.5mm Cortical Screw

Lag Screw



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-6301	T4100-6301	50mm
S4100-6302	T4100-6302	55mm
S4100-6303	T4100-6303	60mm
S4100-6304	T4100-6304	65mm
S4100-6305	T4100-6305	70mm
S4100-6306	T4100-6306	75mm
S4100-6307	T4100-6307	80mm
S4100-6308	T4100-6308	85mm
S4100-6309	T4100-6309	90mm
S4100-6310	T4100-6310	95mm
S4100-6311	T4100-6311	100mm

Calcaneus Plate-I



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-6401	T4100-6401	S
S4100-6402	T4100-6402	M

Use 4.0mm Cancellous Screw

Calcaneus Plate-II



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-6501	T4100-6501	Long 3 holes
S4100-6502	T4100-6502	Long 4 holes
S4100-6503	T4100-6503	Short 3 holes
S4100-6504	T4100-6504	Short 4 holes

Use 4.0mm Cancellous Screw

Calcaneus Plate-III

REF (Stainless Steel)	REF (Titanium)	Specification
S4100-6505	T4100-6505	Small 10 holes
S4100-6506	T4100-6506	Small 12 holes

Use 4.0mm Cancellous Screw

Calcaneus Plate-IV



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-6601	T4100-6601	Long 3 holes
S4100-6602	T4100-6602	Long 4 holes
S4100-6603	T4100-6603	Short3 holes
S4100-6604	T4100-6604	Short 4 holes

Use 4.0mm Cancellous Screw

Reconstruction Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-6701	T4100-6701	4 holes
S4100-6702	T4100-6702	6 holes
S4100-6703	T4100-6703	8 holes
S4100-6704	T4100-6704	10 holes
S4100-6705	T4100-6705	12 holes

Use 3.5mm Cortical Screw, 4.0mm Cancellous Screw

Pelvic Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-6801	T4100-6801	4 holes
S4100-6802	T4100-6802	6 holes
S4100-6803	T4100-6803	8 holes
S4100-6804	T4100-6804	10 holes
S4100-6805	T4100-6805	12 holes
Use 4.0mm Cancellous Screw		

Posterior Wall Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-6901	T4100-6901	L
S4100-6902	T4100-6902	R
Use 4.0mm Cancellous Screw		

Posterior Column Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-7001	T4100-7001	L
S4100-7002	T4100-7002	R
Use 4.0mm Cancellous Screw		

Curved Anterior Column Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-7101	T4100-7101	L
S4100-7102	T4100-7102	R
Use 4.0mm Cancellous Screw		

Angled Anterior Column Plate



REF (Stainless Steel)	REF (Titanium)	Specification
S4100-7201	T4100-7201	L
S4100-7202	T4100-7202	R
Use 4.0mm Cancellous Screw		

2.0mm Cortical Screw (Square Head) Full-threaded



REF (Stainless Steel)	REF (Titanium Alloy)	Specification
S4100-8101	T4100-8101	2.0*6mm
S4100-8102	T4100-8102	2.0*8mm
S4100-8103	T4100-8103	2.0*10mm
S4100-8104	T4100-8104	2.0*12mm
S4100-8105	T4100-8105	2.0*14mm
S4100-8106	T4100-8106	2.0*16mm
S4100-8107	T4100-8107	2.0*18mm
S4100-8108	T4100-8108	2.0*20mm

3.5mm Cortical Screw (Full-threaded)



REF (Stainless Steel)	REF (Titanium Alloy)	Specification
S4100-8317	T4100-8317	3.5*10mm
S4100-8301	T4100-8301	3.5*12mm
S4100-8302	T4100-8302	3.5*14mm
S4100-8303	T4100-8303	3.5*16mm
S4100-8304	T4100-8304	3.5*18mm
S4100-8305	T4100-8305	3.5*20mm
S4100-8306	T4100-8306	3.5*22mm
S4100-8307	T4100-8307	3.5*24mm
S4100-8308	T4100-8308	3.5*26mm
S4100-8309	T4100-8309	3.5*28mm
S4100-8310	T4100-8310	3.5*30mm

REF (Stainless Steel)	REF (Titanium Alloy)	Specification
S4100-8311	T4100-8311	3.5*32mm
S4100-8312	T4100-8312	3.5*34mm
S4100-8313	T4100-8313	3.5*36mm
S4100-8314	T4100-8314	3.5*38mm
S4100-8315	T4100-8315	3.5*40mm
S4100-8316	T4100-8316	3.5*42mm
S4100-8319	T4100-8319	3.5*44mm
S4100-8320	T4100-8320	3.5*46mm
S4100-8321	T4100-8321	3.5*48mm
S4100-8318	T4100-8318	3.5*50mm

4.5mm Cortical Screw (Full-threaded)



REF (Stainless Steel)	REF (Titanium Alloy)	Specification
S4100-8501	T4100-8501	4.5*20mm
S4100-8502	T4100-8502	4.5*22mm
S4100-8503	T4100-8503	4.5*24mm
S4100-8504	T4100-8504	4.5*26mm
S4100-8505	T4100-8505	4.5*28mm
S4100-8506	T4100-8506	4.5*30mm
S4100-8507	T4100-8507	4.5*32mm
S4100-8508	T4100-8508	4.5*34mm
S4100-8509	T4100-8509	4.5*36mm
S4100-8510	T4100-8510	4.5*38mm
S4100-8511	T4100-8511	4.5*40mm

REF (Stainless Steel)	REF (Titanium Alloy)	Specification
S4100-8512	T4100-8512	4.5*42mm
S4100-8513	T4100-8513	4.5*44mm
S4100-8514	T4100-8514	4.5*46mm
S4100-8515	T4100-8515	4.5*48mm
S4100-8516	T4100-8516	4.5*50mm
S4100-8517	T4100-8517	4.5*52mm
S4100-8518	T4100-8518	4.5*54mm
S4100-8519	T4100-8519	4.5*56mm
S4100-8520	T4100-8520	4.5*58mm
S4100-8521	T4100-8521	4.5*60mm

4.0mm Cancellous Screw (Full-threaded)



REF (Stainless Steel)	REF (Titanium Alloy)	Specification
S4100-8916	T4100-8916	4.0*12mm
S4100-8917	T4100-8917	4.0*14mm
S4100-8918	T4100-8918	4.0*16mm
S4100-8919	T4100-8919	4.0*18mm
S4100-8920	T4100-8920	4.0*20mm
S4100-8901	T4100-8901	4.0*22mm
S4100-8902	T4100-8902	4.0*24mm
S4100-8903	T4100-8903	4.0*26mm
S4100-8904	T4100-8904	4.0*28mm
S4100-8905	T4100-8905	4.0*30mm

REF (Stainless Steel)	REF (Titanium Alloy)	Specification
S4100-8906	T4100-8906	4.0*32mm
S4100-8907	T4100-8907	4.0*34mm
S4100-8908	T4100-8908	4.0*36mm
S4100-8909	T4100-8909	4.0*38mm
S4100-8910	T4100-8910	4.0*40mm
S4100-8911	T4100-8911	4.0*42mm
S4100-8912	T4100-8912	4.0*44mm
S4100-8913	T4100-8913	4.0*46mm
S4100-8914	T4100-8914	4.0*48mm
S4100-8915	T4100-8915	4.0*50mm

4.0mm Cancellous Screw (Half-threaded)



REF(Stainless Steel)	Specification
S4100-8921	4.0*20mm
S4100-8922	4.0*22mm
S4100-8923	4.0*24mm
S4100-8924	4.0*26mm
S4100-8925	4.0*28mm
S4100-8926	4.0*30mm
S4100-8927	4.0*32mm
S4100-8928	4.0*34mm

REF(Stainless Steel)	Specification
S4100-8929	4.0*36mm
S4100-8930	4.0*38mm
S4100-8931	4.0*40mm
S4100-8932	4.0*42mm
S4100-8933	4.0*44mm
S4100-8934	4.0*46mm
S4100-8935	4.0*48mm
S4100-8936	4.0*50mm

6.5mm Cancellous Screw (Full-threaded)



REF (Stainless Steel)	REF (Titanium Alloy)	Specification
S4100-9313	T4100-9313	6.5*30mm
S4100-9314	T4100-9314	6.5*35mm
S4100-9301	T4100-9301	6.5*40mm
S4100-9302	T4100-9302	6.5*45mm
S4100-9303	T4100-9303	6.5*50mm
S4100-9304	T4100-9304	6.5*55mm
S4100-9305	T4100-9305	6.5*60mm

REF (Stainless Steel)	REF (Titanium Alloy)	Specification
S4100-9306	T4100-9306	6.5*65mm
S4100-9307	T4100-9307	6.5*70mm
S4100-9308	T4100-9308	6.5*75mm
S4100-9309	T4100-9309	6.5*80mm
S4100-9310	T4100-9310	6.5*85mm
S4100-9311	T4100-9311	6.5*90mm
S4100-9312	T4100-9312	6.5*95mm

Cannulated Headless Compression Screw



REF (Titanium Alloy)	Specification
T4100-9501	3.0*12mm
T4100-9502	3.0*14mm
T4100-9503	3.0*16mm
T4100-9504	3.0*18mm
T4100-9505	3.0*20mm
T4100-9506	3.0*22mm
T4100-9507	3.0*24mm
T4100-9508	3.0*26mm
T4100-9509	3.0*28mm
T4100-9510	3.0*30mm
T4100-9511	3.5*14mm
T4100-9512	3.5*16mm
T4100-9513	3.5*18mm
T4100-9514	3.5*20mm
T4100-9515	3.5*22mm
T4100-9516	3.5*24mm
T4100-9517	3.5*26mm
T4100-9518	3.5*28mm
T4100-9519	3.5*30mm
T4100-9520	3.5*32mm
T4100-9521	3.5*34mm
T4100-9522	3.5*36mm

REF (Titanium Alloy)	Specification
T4100-9523	3.5*38mm
T4100-9524	3.5*40mm
T4100-9525	4.0*16mm
T4100-9526	4.0*18mm
T4100-9527	4.0*20mm
T4100-9528	4.0*22mm
T4100-9529	4.0*24mm
T4100-9530	4.0*26mm
T4100-9531	4.0*28mm
T4100-9532	4.0*30mm
T4100-9533	4.0*32mm
T4100-9534	4.0*34mm
T4100-9535	4.0*36mm
T4100-9536	4.0*38mm
T4100-9537	4.0*40mm
T4100-9538	4.0*42mm
T4100-9539	4.0*44mm
T4100-9540	4.0*46mm
T4100-9541	4.0*48mm
T4100-9542	4.0*50mm
T4100-9543	4.0*55mm
T4100-9544	4.0*60mm

REF (Titanium Alloy)	Specification
T4100-9545	5.0*20mm
T4100-9546	5.0*22mm
T4100-9547	5.0*24mm
T4100-9548	5.0*26mm
T4100-9549	5.0*28mm
T4100-9550	5.0*30mm
T4100-9551	5.0*32mm
T4100-9552	5.0*34mm
T4100-9553	5.0*36mm
T4100-9554	5.0*38mm
T4100-9555	5.0*40mm
T4100-9556	5.0*42mm
T4100-9557	5.0*44mm
T4100-9558	5.0*46mm
T4100-9559	5.0*48mm
T4100-9560	5.0*50mm
T4100-9561	5.0*55mm
T4100-9562	5.0*60mm
T4100-9563	5.0*65mm
T4100-9564	5.0*70mm

Herbert Cannulated Compression Screw



REF (Titanium Alloy)	Specification
T4100-9623	2.5*10mm
T4100-9624	2.5*12mm
T4100-9625	2.5*14mm
T4100-9626	2.5*16mm
T4100-9627	2.5*18mm
T4100-9628	2.5*20mm
T4100-9629	2.5*22mm
T4100-9630	2.5*24mm
T4100-9631	2.5*26mm
T4100-9632	2.5*28mm
T4100-9633	2.5*30mm
T4100-9601	3.0*14mm
T4100-9602	3.0*16mm
T4100-9603	3.0*18mm
T4100-9604	3.0*20mm
T4100-9605	3.0*22mm

REF (Titanium Alloy)	Specification
T4100-9606	3.0*24mm
T4100-9607	3.0*26mm
T4100-9608	3.0*28mm
T4100-9609	3.0*30mm
T4100-9634	3.5*14mm
T4100-9635	3.5*16mm
T4100-9636	3.5*18mm
T4100-9637	3.5*20mm
T4100-9638	3.5*22mm
T4100-9639	3.5*24mm
T4100-9640	3.5*26mm
T4100-9641	3.5*28mm
T4100-9642	3.5*30mm
T4100-9643	3.5*32mm
T4100-9644	3.5*34mm
T4100-9645	3.5*36mm

REF (Titanium Alloy)	Specification
T4100-9646	3.5*38mm
T4100-9647	3.5*40mm
T4100-9610	4.0*26mm
T4100-9611	4.0*28mm
T4100-9612	4.0*30mm
T4100-9613	4.0*32mm
T4100-9614	4.0*34mm
T4100-9615	4.0*36mm
T4100-9616	4.0*38mm
T4100-9617	4.0*40mm
T4100-9618	4.0*42mm
T4100-9619	4.0*44mm
T4100-9620	4.0*46mm
T4100-9621	4.0*48mm
T4100-9622	4.0*50mm

Cannulated Screw Partially-threaded



REF (Stainless Steel)	REF (Titanium Alloy)	Specification
S4100-9701	T4100-9701	3.5*20mm
S4100-9702	T4100-9702	3.5*22mm
S4100-9703	T4100-9703	3.5*24mm
S4100-9704	T4100-9704	3.5*26mm
S4100-9705	T4100-9705	3.5*28mm
S4100-9706	T4100-9706	3.5*30mm
S4100-9707	T4100-9707	3.5*32mm
S4100-9708	T4100-9708	3.5*34mm
S4100-9709	T4100-9709	3.5*36mm
S4100-9710	T4100-9710	3.5*38mm
S4100-9711	T4100-9711	3.5*40mm
S4100-9712	T4100-9712	3.5*42mm
S4100-9713	T4100-9713	3.5*44mm
S4100-9714	T4100-9714	3.5*46mm
S4100-9715	T4100-9715	3.5*48mm
S4100-9716	T4100-9716	3.5*50mm
S4100-9717	T4100-9717	3.5*52mm
S4100-9718	T4100-9718	3.5*54mm
S4100-9719	T4100-9719	3.5*56mm
S4100-9720	T4100-9720	3.5*58mm
S4100-9721	T4100-9721	3.5*60mm
S4100-9722	T4100-9722	4.0*30mm
S4100-9723	T4100-9723	4.0*32mm
S4100-9724	T4100-9724	4.0*34mm
S4100-9725	T4100-9725	4.0*36mm
S4100-9726	T4100-9726	4.0*38mm
S4100-9727	T4100-9727	4.0*40mm

REF (Stainless Steel)	REF (Titanium Alloy)	Specification
S4100-9728	T4100-9728	4.0*42mm
S4100-9729	T4100-9729	4.0*44mm
S4100-9730	T4100-9730	4.0*46mm
S4100-9731	T4100-9731	4.0*48mm
S4100-9732	T4100-9732	4.0*50mm
S4100-9733	T4100-9733	4.0*52mm
S4100-9734	T4100-9734	4.0*54mm
S4100-9735	T4100-9735	4.0*56mm
S4100-9736	T4100-9736	4.0*58mm
S4100-9737	T4100-9737	4.0*60mm
S4100-9738	T4100-9738	4.5*30mm
S4100-9739	T4100-9739	4.5*32mm
S4100-9740	T4100-9740	4.5*34mm
S4100-9741	T4100-9741	4.5*36mm
S4100-9742	T4100-9742	4.5*38mm
S4100-9743	T4100-9743	4.5*40mm
S4100-9744	T4100-9744	4.5*42mm
S4100-9745	T4100-9745	4.5*44mm
S4100-9746	T4100-9746	4.5*46mm
S4100-9747	T4100-9747	4.5*48mm
S4100-9748	T4100-9748	4.5*50mm
S4100-9749	T4100-9749	4.5*52mm
S4100-9750	T4100-9750	4.5*54mm
S4100-9751	T4100-9751	4.5*56mm
S4100-9752	T4100-9752	4.5*58mm
S4100-9753	T4100-9753	4.5*60mm

6.5mm Cannulated Screw Partially-threaded



REF (Titanium Alloy)	Specification
T4100-9401	6.5*50mm
T4100-9402	6.5*55mm
T4100-9403	6.5*60mm
T4100-9404	6.5*65mm
T4100-9405	6.5*70mm

REF (Titanium Alloy)	Specification
T4100-9406	6.5*75mm
T4100-9407	6.5*80mm
T4100-9408	6.5*85mm
T4100-9409	6.5*90mm
T4100-9410	6.5*95mm

REF (Titanium Alloy)	Specification
T4100-9411	6.5*100mm
T4100-9412	6.5*105mm
T4100-9413	6.5*110mm
T4100-9414	6.5*115mm
T4100-9415	6.5*120mm

7.3mm Cannulated Screw Partially-threaded



REF (Stainless Steel)	REF (Titanium Alloy)	Specification
S4100-9901	T4100-9901	7.3*70mm
S4100-9902	T4100-9902	7.3*75mm
S4100-9903	T4100-9903	7.3*80mm
S4100-9904	T4100-9904	7.3*85mm
S4100-9905	T4100-9905	7.3*90mm

REF (Stainless Steel)	REF (Titanium Alloy)	Specification
S4100-9906	T4100-9906	7.3*95mm
S4100-9907	T4100-9907	7.3*100mm
S4100-9908	T4100-9908	7.3*105mm
S4100-9909	T4100-9909	7.3*110mm
S4100-9910	T4100-9910	7.3*115mm

Titanium Cable



REF	Specification
7100-9802	1.3*520mm
7100-9803	1.7*520mm

Suture Wire




REF (Stainless Steel)	REF (Titanium)	Specification
S7100-9701	T7100-9706	0.4*50m
S7100-9702	T7100-9707	0.6*44m
S7100-9703	T7100-9708	0.8*12m
S7100-9704	T7100-9709	1.0*7.5m
S7100-9705	T7100-9710	1.2*5.5m

Small Fragment Instrument Set 4200-01




NO.	REF	Description	Qty.
1	4200-0101	Neutral and Load Drill Guide Φ2.5	1
2	4200-0102	Drill & Tap Guider (Φ2.5/Φ3.5)	1
3	4200-0103	Drill & Tap Guider (Φ3.2/Φ4.0)	1
4	4200-0104	Drill Bit (Φ2.5*115mm)	1
5	4200-0105	Drill Bit (Φ2.5*115mm)	1
6	4200-0106	Drill Bit (Φ3.2*115mm)	1
7	4200-0107	Drill Bit (Φ3.2*115mm)	1
8	4200-0108	Periosteal Elevator 6mm	1
9	4200-0109	Tap Cancellous 4.0mm	1
10	4200-0110	Depth Gauge (0-60mm)	1
11	4200-0111	Extraction Screw Hexagonal 2.5mm Conical	1
	4200-0112	Countersink	1
12	4200-0113	Periosteal Elevator 12mm	1
13	4200-0114	Hollow Reamer Φ6.0	1
14	4200-0115	Tap Cortex 3.5mm	1
15	4200-0116	Screwdriver Hexagonal 2.5mm Conical	1
16	4200-0117	Self-centering Bone Holding Forcep (190mm)	2
17	4200-0118	Sharp Reduction Forcep (190mm)	1
18	4200-0119	Obilique Reduction Forcep (170mm)	1
19	4200-0120	Bending Iron	1
20	4200-0121	Aluminium Box	1

Large Fragment Instrument Set 4200-02




NO.	REF	Description	Qty.
1	4200-0201	Neutral and Load Drill Guide Φ3.2	1
2	4200-0202	Drill & Tap Guider (Φ3.2/Φ4.5)	1
3	4200-0203	Drill & Tap Guider (Φ4.5/Φ6.5)	1
4	4200-0204	Drill Bit (Φ4.5*115mm)	1
5	4200-0205	Drill Bit (Φ4.5*115mm)	1
6	4200-0206	Drill Bit (Φ3.2*115mm)	1
7	4200-0207	Drill Bit (Φ3.2*115mm)	1
8	4200-0208	Depth Gauge (0-90mm)	1
9	4200-0209	Periosteal Elevator 15mm	1
10	4200-0210	Obilique Reduction Forcep (230mm)	1
11	4200-0211	Periosteal Elevator 8mm	1
12	4200-0212	Sharp Reduction Forcep (200mm)	1
13	4200-0213	Silicon Handle Screwdriver Hexagonal 3.5mm	1
14	4200-0214	Self-centering Bone Holding Forcep (270mm)	2
15	4200-0215	Retractor Width 18mm	1
	4200-0216	Retractor Width 40mm	1
16	4200-0217	Countersink Φ8.0	1
	4200-0218	Extraction Screw Hexagonal 3.5mm Conical	1
17	4200-0219	Hollow Reamer Φ8.0	1
18	4200-0220	Tap Cortex 4.5mm	1
	4200-0221	Tap Cancellous 6.5mm	1
19	4200-0222	Bending Iron	1
20	4200-0223	Aluminium Box	1

Mirco Plate Instrument Set 4200-03




NO.	REF	Description	Qty.
1	4200-0301	Screw Box(1.5/2.0/2.7mm)	1
2	4200-0302	Depth Gague(0-40mm)	1
3	4200-0303	Bone Elevator 15mm	1
4	4200-0304	Bone Elevator 8mm	1
5	4200-0305	Bone Elevator 6mm	1
6	4200-0306	Dissector 5mm	1
7	4200-0307	Dissector 3mm	1
8	4200-0308	Bending Iron	1
9	4200-0309	Countersink HA2.7	1
	4200-0310	Countersink HA2.0	1
10	4200-0311	Tap HA2.0	1
	4200-0312	Tap HA2.7	1
11	4200-0313	Sharp Hook	1
12	4200-0314	Drill bit (Φ1.5)	2
13	4200-0315	Drill bit (Φ2.0)	2
14	4200-0316	Screw Forcep	1
15	4200-0317	Guider(Φ2.0/Φ2.7)	1
16	4200-0318	Guider(Φ1.5/Φ2.0)	1
17	4200-0319	Plate-bended Forcep	1
18	4200-0320	Wire Cutter	1
19	4200-0321	Bone Ribbing Rongeur	1
20	4200-0322	Pointed-tip Reduction Forceps	1
21	4200-0323	Bent-tip Reduction Forceps	1
22	4200-0324	Plate-hold Forceps	1
23	4200-0325	Hex Screwdriver SW2.0	1
24	4200-0326	Skin Retractor (Single Hook)	1
	4200-0327	Skin Retractor (Double Hook)	1
25	4200-0328	Aluminum Box	1


Mini Fragment Instrument Set 4200-04



NO.	REF	Description	Qty.
1	4200-0401	Drill Bit 1.1*80mm	3
2	4200-0402	Drill Guider 1.1/1.5	1
3	4200-0403	Tap HA1.5	1
4	4200-0404	Drill Bit 1.5*80mm	3
5	4200-0405	Drill Guider 1.5/2.0	1
6	4200-0406	Tap HA2.0	1
7	4200-0407	Drill Bit 2.0*80mm	3
8	4200-0408	Guider 2.0/2.7	1
9	4200-0409	Tap HA2.7	1
10	4200-0410	Plate Bender Forcep	1
11	4200-0411	Plate Cutter Forcep	1
12	4200-0412	Retractors 6mm	1
	4200-0413	Retractors 8mm	1
	4200-0414	Retractors 15mm	1
13	4200-0415	Dissector 5mm	1
	4200-0416	Dissector 3mm	1
14	4200-0417	Sharp Hook	1
15	4200-0418	Bending Iron	1
16	4200-0419	Wire Cutter	1
17	4200-0420	T-handle Quick Coupling	1
18	4200-0421	Screw Forcep	1
19	4200-0422	Pointed-tip Reduction Forceps	1
	4200-0423	Bent-tip Reduction Forceps	1
	4200-0424	Plate-hold Forceps	1
20	4200-0425	Quick Coupling Screwdriver Hex (SW2.0)	1
	4200-0426	Countersink	1
21	4200-0427	Straight Handle Quick Coupling	1
22	4200-0428	Depth Gague 0-40mm	1
23	4200-0429	Skin Retractor (Single Hook)	1
	4200-0430	Skin Retractor (Double Hook)	1
24	4200-0431	Aluminum Box	1


DHS & DCS Plate Instrument Set 4200-05







NO.	REF	Description	Qty.
1	4200-0501	T-handle Quick Coupling	1
2	4200-0502	Tap Cortical 4.5mm	1
3	4200-0503	Double Drill Sleeve (Φ4.5/Φ6.5)	1
4	4200-0504	Double Drill Sleeve(Φ4.5/Φ3.2)	1
5	4200-0505	Neutral and Load Drill Guide Φ2.5	1
6	4200-0506	Tap Cancellous 6.5mm	1
7	4200-0507	Drill Bit Φ3.2*150mm	2
8	4200-0508	Drill Bit Φ4.5*150mm	2
9	4200-0509	Measuring Device	1
10	4200-0510	Tap Cancellous 12mm	1
11	4200-0511	Threaded K-wire Φ2.5*225mm	3
12	4200-0512	DHS/DCS Impactor Large	1
13	4200-0513	Depth Gauge(0-100mm)	1
14	4200-0514	DHS/DCS Impactor Small	1
15	4200-0515	DHS/DCS Wrench, Purple Sleeve	1
16	4200-0516	DHS/DCS Wrench, Golden Sleeve	1
17	4200-0517	Screwdriver Hexagonal 3.5mm	1
18	4200-0518	DCS Angle Guide 95 Degree	1
19	4200-0519	DHS Angle Guier 135 degree	1
20	4200-0520	DHS Reamer	1
21	4200-0521	DCS Reamer	1
22	4200-0522	Aluminium Box	1

6.5mm Cannulated Screw Instrument Set 4200-07










NO.	REF	Description	Qty.
1	4200-0701	Depth Gauge(0-120mm)	1
2	4200-0702	Threaded Guider Wire 2.5mm	2
3	4200-0703	Threaded Guider Wire 2.5mm	2
4	4200-0704	Cannulated Drill Bit with Limited Block 4.5mm	1
5	4200-0705	Cannulated Countersink Φ9	1
6	4200-0706	Hex Key	1
7	4200-0707	Wrench for Adjustable Parallel Wire Guider	1
8	4200-0708	Multiple Wire Guider	1
9	4200-0709	Tap Cannulated Screw 6.5mm	1
10	4200-0710	Screwdriver Hexagonal 3.5mm	1
11	4200-0711	Cleaning Stylet 2.5mm	1
12	4200-0712	Drill Sleeve	1
13	4200-0713	Adjustable Parallel Wire Guider	1
14	4200-0714	Cannulated Screwdriver Hexagonal 3.5mm	1
15	4200-0715	Aluminium Box	1

Pelvic Reconstruction Plate Instrument Set 4200-08









NO.	REF	Description	Qty.
1	4200-0801	Straight Ball Spike 300mm	1
2	4200-0802	Universal Hex Screwdriver SW2.5	1
3	4200-0803	Straight Ball Spike 300mm	1
4	4200-0804	Hex Screwdriver SW2.5	1
5	4200-0805	Retractor	1
6	4200-0806	Drill Guider Ø2.5	1
7	4200-0807	Flexible Drill Bit Ø2.5	1
8	4200-0808	Tap Ø3.5	1
9	4200-0809	Drill Bit Ø3.0	2
10	4200-0810	Tap Ø4.0	1
11	4200-0811	Drill Bit Ø2.5	2
12	4200-0812	Drill Bit Ø2.5	3
13	4200-0813	Drill/Tap Guider Ø2.5/3.5	1
14	4200-0814	Drill/Tap Guider Ø3.0/4.0	1
15	4200-0815	Screw Holder Forcep	1
16	4200-0816	Depth Gague 0-60mm	1
17	4200-0817	Bending Iron	1
18	4200-0818	Bone Holding Forcep 200mm	1
19	4200-0819	Reduction Forcep Straight	1
20	4200-0820	Reduction Forcep Curved 250mm	1
21	4200-0821	Bone Holding Forcep 250mm	1
22	4200-0822	Pelvic Mould Plate	1
23	4200-0823	Reconstruction Mould Plate	1
24	4200-0824	Reduction Forcep Curved 280mm	1
25	4200-0825	Pelvic Reconstruction Forcep Large 330mm	1
26	4200-0826	Pelvic Reduction Forcep with 2 Ball-tipped 400mm	1
27	4200-0827	Pelvic Reduction Forcep with 2 High-low Ball-tipped 400mm	1
	4200-0828	Pelvic Reduction Forcep with 3 Ball-tipped 400mm	1
28	4200-0829	Plate Bender	1
29	4200-0830	Bone Hook	1
30	4200-0831	T-handle Bone Hook	1
31	4200-0832	Aluminium Box	1


Rib Plate Instrument Set 4200-09






NO.	REF	Description	Qty.
1	4200-0901	Reduction Forcep Double Large	1
2	4200-0902	Reduction Forcep Double Small	1
3	4200-0903	Reduction Forcep Single	1
4	4200-0904	Reduction Forcep Curved	1
5	4200-0905	Plate Insert Forcep	1
6	4200-0906	Rib Plate Cutter	1
7	4200-0907	Periosteal Elevator 9mm	1
8	4200-0908	Periosteal Elevator 12mm	1
9	4200-0909	Aluminium Box	1


4.0mm Cannulated Screw Instrument Set 4200-06



NO.	REF	Description	Qty.
1	4200-0601	Depth Gauge (0-80mm)	1
2	4200-0602	Cleaning Stylet 1.2mm	1
3	4200-0603	Threaded Guider Wire 1.2mm	4
4	4200-0604	Cannulated Drill Bit with Limited Block 2.7mm	1
5	4200-0605	Screwdriver Hexagonal 2.5mm with Sleeve	1
6	4200-0606	Cannulated Tap Cannulated Screw 4.0mm	1
7	4200-0607	Cannualted Screwdriver Hexagonal 2.5mm	1
8	4200-0608	Cannulated Countersink Φ6.5	1
9	4200-0609	Hex Key	1
10	4200-0610	Wire Sleeve 1.2mm	1
11	4200-0611	Drill Sleeve	1
12	4200-0612	Aluminium Box	1


Titanium Cable Instrument Set 4200-13






NO.	REF	Description	Qty.
1	4200-1301	Cable Crimper	1
2	4200-1302	Cable Cutter Large	1
3	4200-1303	Attachment Bit	1
4	4200-1304	Attachment Bit	1
5	4200-1305	Attachment Bit	1
6	4200-1306	Attachment Bit	1
7	4200-1307	Provisional Tensioning Device	1
8	4200-1308	Provisional Tensioning Device	1
9	4200-1309	Provisional Tensioning Device	1
10	4200-1310	Provisional Tensioning Device	1
11	4200-1311	Cable Cutter Standard	1
12	4200-1312	Medium Cable Passer	1
13	4200-1313	Large Cable Passer	1
14	4200-1314	Medium Cable Passer, curved	1
15	4200-1315	Large Cable Passer, curved	1
16	4200-1316	Cable Tensioner	1
17	4200-1317	Aluminium Box	1

Femur Retractor Instrument Set 4200-15




NO.	REF	Description	Qty.
1	4200-1501	Connect Rod	1
2	4200-1502	Connect Rod	1
3	4200-1503	T-handle Screwdriver	1
4	4200-1504	Triple Drill Sleeve Ø3.5/Ø3.6/Ø5.1	1
5	4200-1505	L Wrench	1
6	4200-1506	Drill Bit 3.5*200	1
7	4200-1507	Drill Bit 3.5*200	1
8	4200-1508	Lengthening Rod	1
9	4200-1509	Femur Retractor	1
10	4200-1510	Bone Screw 5*150	1
11	4200-1511	Bone Screw 5*150	1
12	4200-1512	Bone Screw 5*170	1
13	4200-1513	Bone Screw 5*170	1
14	4200-1514	Bone Screw 5*200	1
15	4200-1515	Bone Screw 5*200	1
16	4200-1516	Aluminium Box	1


Collinear Reduction Clamp Instrument Set 4200-11



NO.	REF	Description	Qty.
1	4200-1101	Handpiece	1
2	4200-1102	Percutaneous Arm 255mm	1
3	4200-1103	Pelvic Arm 225mm	1
4	4200-1104	Hohmann-style Arm 183mm	1
5	4200-1105	Protect Sleeve	2
6	4200-1106	Clean Pin	2
	4200-1107	Clean Brush	2
7	4200-1108	Threaded K-wire	1
	4200-1109	K-wire	1
8	4200-1110	Aluminium Box	1


Screw Removal Instrument Set 4200-10






NO.	REF	Description	Qty.
1	4200-1001	Hollow Reamer Φ4	1
2	4200-1002	Hollow Reamer Φ5	1
3	4200-1003	Hollow Reamer Φ6.5	1
4	4200-1004	Hollow Reamer Φ8	1
5	4200-1005	Hollow Reamer Φ10	1
6	4200-1006	Spinal Monoaxial Pedicle Screwdriver	1
7	4200-1007	Hollow Reamer Φ3.0	1
8	4200-1008	Hollow Reamer Φ2.7	1
9	4200-1009	Extraction Bolt Φ6.5	1
10	4200-1010	Extraction Bolt Φ6.0	1
11	4200-1011	Extraction Bolt Φ4.5	1
12	4200-1012	Extraction Bolt Φ3.5	1
13	4200-1013	Extraction Screw Hexagonal 4.0mm Conical	1
14	4200-1014	Extraction Screw Hexagonal 3.5mm Conical	1
15	4200-1015	Extraction Screw Hexagonal 2.5mm Conical	1
16	4200-1016	Extraction Screw Hexagonal 2.5*0.5mm Conical	1
17	4200-1017	Slotted Screwdriver Small	1
18	4200-1018	Slotted Screwdriver Large	1
19	4200-1019	Phillips Screwdriver	1
20	4200-1020	Square Screwdriver SW1.5	1
21	4200-1021	Square Screwdriver SW1.2	1
22	4200-1022	Square Screwdriver SW1.1	1
23	4200-1023	Star Screwdriver T5.5	1
24	4200-1024	Star Screwdriver T5.0	1
25	4200-1025	Star Screwdriver T4.4	1
26	4200-1026	Star Screwdriver T3.8	1
27	4200-1027	Star Screwdriver T3.3	1
28	4200-1028	Star Screwdriver T2.7	1
29	4200-1029	Star Screwdriver T2.2	1
30	4200-1030	Hexagonal Screwdriver SW5.5	1
31	4200-1031	Hexagonal Screwdriver SW5.0	1
32	4200-1032	Hexagonal Screwdriver SW4.5	1
33	4200-1033	Hexagonal Screwdriver SW4.0	1
34	4200-1034	Hexagonal Screwdriver SW3.5	1
35	4200-1035	Hexagonal Screwdriver SW3.0	1
36	4200-1036	Hexagonal Screwdriver SW2.5	1
37	4200-1037	Hexagonal Screwdriver SW2.0	1
38	4200-1038	Hexagonal Screwdriver SW1.5	1
39	4200-1039	Pliers for Screw Removal	1
40	4200-1040	T-shaped Handle Quick Coupling	1
41	4200-1041	Round Gouge 8mm	1
42	4200-1042	Straight Handle Quick Coupling	1
43	4200-1043	Screw Extractor Φ4.5	1
44	4200-1044	High Speed Drill Bit Φ8*36*75mm	1
45	4200-1045	High Speed Drill Bit Φ6*36*75mm	1
46	4200-1046	High Speed Drill Bit Φ4*36*75mm	1
47	4200-1047	Sharp Hook	1
48	4200-1048	Tip Screwdriver	1
49	4200-1049	Screw Extractor Φ3.5	1
50	4200-1050	Aluminium Box	1


3.0/3.5/4.0/5.0mm Cannulated Headless Compression Screw Instrument Set 4200-19






NO.	REF	Description	Qty.
1	4200-1901	Cannulated Countersink Ø3.0*Ø1.1*150	1
2	4200-1902	Cannulated Countersink Ø3.5*Ø1.3*150	1
3	4200-1903	Canuated Drill Bit Ø2.8*Ø1.2*150	1
4	4200-1904	Canuated Drill Bit Ø2.5*Ø1.1*150	1
5	4200-1905	Canuated Drill Bit Ø2.0*Ø1.1*150	1
6	4200-1906	Guider Wire 1.0*150	1
7	4200-1907	Guider Wire 1.0*150	1
8	4200-1908	Guider Wire 1.0*150	1
9	4200-1909	Guider Wire 1.0*150	1
10	4200-1910	Guider Wire 1.2*150	1
11	4200-1911	Guider Wire 1.2*150	1
12	4200-1912	Hex Key	1
13	4200-1913	Wire Sleeve Ø1.0*2.0	1
14	4200-1914	Wire Sleeve Ø1.0*2.5	1
15	4200-1915	Wire Sleeve Ø1.2*3.0	1
16	4200-1916	Drill Sleeve Ø2.0	1
17	4200-1917	Drill Sleeve Ø2.5	1
18	4200-1918	Drill Sleeve Ø3.0	1
19	4200-1919	Quick Coupling Handle	1
20	4200-1920	Quick Coupling Handle	1
21	4200-1921	Clean Wire Ø1.0	1
22	4200-1922	Screw Holding Forcep	1
23	4200-1923	Cannulated Hex Screwdriver SW2.0	1
24	4200-1924	Hex Screwdriver SW2.0	1
25	4200-1925	Cannulated Hex Screwdriver SW2.0	1
26	4200-1926	Hex Screwdriver SW2.0	1
27	4200-1927	Depth Gague	1
28	4200-1928	Clean Wire Ø1.2	1
29	4200-1929	Clean Wire Ø1.5	1
30	4200-1930	Guider Wire 1.5*200	1
31	4200-1931	Canuated Drill Bit Ø3.5*Ø1.5*200	1
32	4200-1932	Drill Sleeve Ø3.5	1
33	4200-1933	Wire Sleeve Ø1.5	1
34	4200-1934	Cannulated Hex Screwdriver SW3.0	1
35	4200-1935	Cannulated Countersink Ø5.0*Ø1.5*150	1
36	4200-1936	Hex Screwdriver SW3.0	1
37	4200-1937	Aluminium Box	1


3.5/4.0/4.5mm Cannulated Screw Instrument Set 4200-16






NO.	REF	Description	Qty.
1	4200-1601	Cannulated Drill Bit with Limited Block 2.6mm	1
2	4200-1602	Cannulated Drill Bit with Limited Block 2.8mm	1
3	4200-1603	Cannulated Drill Bit with Limited Block 3.2mm	1
4	4200-1604	Depth Gague(0-80mm)	1
5	4200-1605	Threaded K-wire Φ1.2	4
6	4200-1606	Threaded K-wire Φ1.5	2
7	4200-1607	Wire Sleeve Φ1.2/2.6	1
8	4200-1608	Wire Sleeve Φ1.2/2.8	1
9	4200-1609	Φ3.5 Cannulated Tap	1
10	4200-1610	Hex Key	1
11	4200-1611	Wire Sleeve Φ1.5/3.2	1
12	4200-1612	Φ6.5 Cannulated Countersink	1
13	4200-1613	Drill Sleeve Φ2.6	1
14	4200-1614	Drill Sleeve Φ2.8	1
15	4200-1615	Drill Sleeve Φ3.2	1
16	4200-1616	Hexagonal Screwdriver SW2.5	1
17	4200-1617	Cleaning Stylet Φ1.2	1
	4200-1618	Cleaning Stylet Φ1.5	1
18	4200-1619	Φ4.0 Cannulated Tap	1
19	4200-1620	Φ4.5 Cannulated Tap	1
20	4200-1621	Hexagonal Cannulated Screwdriver SW2.5	1
21	4200-1622	Aluminium Box	1


6.5/7.3mm Cannulated Screw Instrument Set 4200-17



NO.	REF	Description	Qty.
1	4200-1701	Depth Gague(0-80mm)	1
2	4200-1702	Φ6.5 Cannulated Tap	1
3	4200-1703	Φ7.3 Cannulated Tap	1
4	4200-1704	Cannulated Drill Bit with Limited Block 4.5mm	1
5	4200-1705	Cannulated Drill Bit with Limited Block 5.0mm	1
6	4200-1706	Threaded K-wire Φ2.5	4
7	4200-1707	Φ9 Cannulated Countersink	1
8	4200-1708	Hex Key	1
9	4200-1709	Protection Sleeve+Drill Sleeve	1
10	4200-1710	Wrench	1
11	4200-1711	Parallel Guide Adustable	1
12	4200-1712	Adjustable Guide	1
13	4200-1713	Cleaning Stylet Φ2.0	1
14	4200-1714	Hexagonal Screwdriver SW3.5	1
15	4200-1715	Hexagonal Screwdriver SW4.0	1
16	4200-1716	Hexagonal Cannulated Screwdriver SW3.5	1
17	4200-1717	Hexagonal Cannulated Screwdriver SW4.0	1
18	4200-1718	Aluminium Box	1

2.5/3.0/3.5/4.0mm Herbert Screw Instrument Set 4200-18





NO.	REF	Description	Qty.
1	4200-1801	Drill Sleeve Φ2.5	1
2	4200-1802	Wire Sleeve Φ2.5/Φ1.2	1
3	4200-1803	Cannulated Drill Bit With Limitator Φ2.5/Φ1.2	1
4	4200-1804	Guide Wire Φ1.2*150	1
5	4200-1805	Guide Wire Φ1.2*150	1
6	4200-1806	Cannulated Countersink Φ4.3/Φ1.2	1
7	4200-1807	Cannulated Screwdriver SW2.5/Φ1.2	1
8	4200-1808	Screwdriver SW2.5	1
9	4200-1809	Drill Sleeve Φ2.8	1
10	4200-1810	Wire Sleeve Φ2.8/Φ1.2	1
11	4200-1811	Cannulated Drill Bit With Limitator Φ2.8/Φ1.2	1
12	4200-1812	Guide Wire Φ1.2*150	1
13	4200-1813	Guide Wire Φ1.2*150	1
14	4200-1814	Cannulated Countersink Φ5.0	1
15	4200-1815	Drill Sleeve Φ2.0	1
16	4200-1816	Wire Sleeve Φ2.0/Φ0.8	1
17	4200-1817	Cannulated Screwdriver SW1.5/Φ0.8	1
18	4200-1818	Screwdriver SW1.5	1
19	4200-1819	Cannulated Drill Bit With Limitator Φ2.0/Φ0.8	1
20	4200-1820	Guide Wire Φ0.8*150	1
21	4200-1821	Guide Wire Φ0.8*150	1
22	4200-1822	Cannulated Countersink Φ3.0/Φ0.8	1
23	4200-1823	Drill Sleeve Φ2.2	1
24	4200-1824	Wire Sleeve Φ2.2/Φ1.0	1
25	4200-1825	Cannulated Screwdriver SW2.0/Φ1.0	1
26	4200-1826	Screwdriver SW2.0	1
27	4200-1827	Cannulated Drill Bit With Limitator Φ2.2/Φ1.0	1
28	4200-1828	Guide Wire Φ1.0*150	1
29	4200-1829	Guide Wire Φ1.0*150	1
30	4200-1830	Cannulated Countersink Φ3.5/Φ1.0	1
31	4200-1831	Clean Stylet Φ1.0*150	1
32	4200-1832	Straight Handle	1
33	4200-1833	Straight Handle	1
34	4200-1834	Screw Holding Forcep	1
35	4200-1835	Hex Key SW2.5	1
36	4200-1836	Depth Gague	1
37	4200-1837	Aluminium Box	1